




M ROBOT

PRODUCT OVERVIEW Valid November 2019/2020





M ROBOT


Ergonomic height-adjustable workbench in elegant design with good stability and flexibility.

The workbench is designed for use in applications where a Robot teach pendant or screen and keyboard must be able to be used in various heights and programming situations. The workbench is mounted on castors that allow to move the workbench around in the factory.

Easily attach the teach pendant to the holder and use the height adjustment to achieve the correct ergonomic use of the teach pendant in programming and operation mode. Avoid the persistent heavy lifting of the teach pendant.

The workbench is available in 2 models, ENTRY and ADVANCE, where the holder is developed as standard for Universal Robot's teach- pendant (Both models) and ADVANCE is also prepared for VESA 75/100.

Both versions can adapt other models of robot "teach- pendant".



ENTRY 18004013

Material Aluminum

Color Silver RAL9006

System Height adjustable from approx. 770 mm. - 1190 mm. +/- 5 mm.

UP/DOWN function via handle (Manual)

Wheels mounted on foot, 2 pcs. just lock

Max lifting capacity approx. 10 kg.

ADVANCE 18004113

Same as ENTRY in addition with the following extra features:

Tabletop with tilt function which can be adjusted at 5 angles from 0 - 90 degrees via handle.

Tabletop 600 x 350 mm. (Color: Anthracite)

Monitor holder incl.

Max. lifting capacity approx. 10 kg. incl. tabletop.

Information:
Danish design



Rufac

Headoffice
Ellehaven 6
5900 Rudkøbing-DK
www.rufac.dk

Chicago showroom

Merchandise Mart Plaza
Showroom #1169
11th Floor
Chicago, IL 60654

SiS Ergo

Corporate Office
55 Wentworth Ave
Londonderry, NH 03053
www.sisergo.com

MTM Solution Pvt Ltd

Mumbai – 5B / 270,
Mittal Eastate
Near Marol Naka,
Andheri-Kurla Road
Andheri, Mumbai 400059
India

MTM Solution Pte Ltd

MTM iNSPACE,
Level 01-01 & 02-01,
85 Playfair Road
Tong Yan Building
Singapore 368000
Singapore

SiS Ergo Benelux

Netherland
info@sis-ergo.nl
www.sis-ergo.nl